## Altman Lighting Co., Inc.





#### **Declaration of Conformity**

28 September 2017

Altman Lighting Co., Inc. 57 Alexander Street Yonkers, New York 10701 USA 1.914.476.7987

Product Series:	Smart Track Lighting System
Product Codes /	See Appendix A for Models
Models:	

The undersigned hereby declares, on behalf of the Altman Lighting Co., Inc., of Yonkers, New York, that the above-referenced product, to which this declaration relates, is in conformity with the provisions of:

### All products described herein are in compliance with the following EU Regulations and Standards

EMC - Directive 2014/30/EU

EN 60598 EN 60 570

Refer Appendix B – Smart Track Lighting System is Manufactured by a OEM Supplier for Altman Lighting

The Technical Construction File required by this Directive is maintained at the OEM manufacturer of the products supplied to Altman Lighting.

Respectfully submitted,

Heinz E Roy

Compliance & Technical Documentation Manager

Altman Lighting Co., Inc.

## Altman Lighting Co., Inc.



### **APPENDIX A – Altman Lighting Model Numbers**

#### Smart Track 2-Circuit (120 VAC) and 3-Circuit (230 VAC) Track

Model Description

ASL-22510\* 1-meter, 3-circuit Smart Track, 230 VAC
ASL-22520\* 2-meter, 3-circuit Smart Track, 230 VAC
ASL-22530\* 3-meter, 3-circuit Smart Track, 230 VAC
ASL-22540\* 4-meter, 3-circuit Smart Track, 230 VAC

Note: \* Add one of the following codes for track finish: 3-1 Silver, 2-2 Black, or 1-3 White.

#### **Smart Track Accessories**

Description

ASL-99803\* Live End with Ground Contact Right
ASL-99874\* Live End with Ground Contact Left
Straight Coupler (for Data)

ASL-99806\* Straight Coupler (with Data and Power Input)
ASL-99809\* L-Coupler with Ground Contact Inside
ASL-99810\* L-Coupler with Ground Contact Outside
ASL-99813\* T-Coupler with Ground Contact Right
ASL-99814\* T-Coupler with Ground Contact Left
ASL-985812\* 2 Circuit Flexible Straight Coupler

ASL-99816\* X-Coupler

ASL-99780\* Multi Adapter with DMX Terminator
ASL-99900\* End Cap for covering the end of the track

ASL-99507\* Mechanical Universal Adapter (1/2-inch) for loads up to 22 lbs. (10 kg)

## Altman Lighting Co., Inc.



## **APPENDIX B – OEM Supplier CE Declaration of Conformity**



# EUTRAC Stromschienen GmbH

### EG – KONFORMITÄTSERKLÄRUNG **CE-Declaration of conformity**

Dokument Nr.: 00510/04/2016 Document-No.:

Monat/Jahr: 04/16

Month, Year:

Hersteller: Eutrac Stromschienen GmbH

Manufacturer:

Anschrift: Sperenberger Strasse 1 D - 12277 Berlin Address:

**EUTRAC** Produktbezeichnung:

Name of product, type or mod

Stromschiene /

Track:

Flex-Verbinder / 225-10; 225-20;2 25-30; 225-40 555 2 1211 x

Einspeiser / T-Verbinder / 555 2 1201 x : 555 2 1202 x End feed: T-Coupler:

Mitteneinspeiser /

555 2 5203 x mid feed :

Elek. L-Verbinder/

Elect. L-coupler: 555 2 1206 x

I-Verbinder/

I- coupler: 555 2 1208 x

L-Verbinder /

L- coupler: 555 2 1209 x : 555 2 1210 x Flexible Coupler:

555 2 1212 x: 555 2 1213 x:

555 2 1214 x; 555 2 1215 x

X-Verbinder /

X-Coupler: 555 2 1216 x

Endkappe /

End cap: 555 0 1217 x

Pendelaufhängung /

Pendant steam: 99-905-: 99-906-

Seilaufhängung /

Pendant cable: 99-318-0; 99-319-0; 99-620-0

Die bezeichneten Produkte stimmt mit den Vorschriften folgender Europäischer Richtlinien überein:

The denominated products are in correspondence with following EU regulations and standards:

Niederspannungsrichtlinie 2014/35/EU Nummer: Number: EMV - Richtlinie 2014/30/EU

EN 60598

EN 60 570

Aussteller / Issuer: **EUTRAC Stromschienen GmbH** 

Ort, Datum / Place, Date: Berlin 05.04.2016

Rechtsverbindliche Unterschrift:

Legally binding signatur:

hollis Nils-Ove Mellies

Geschäftsführer / General Manager/

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, beinhaltet jedoch keine Zusicherung von Eigenschaften. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten. This declaration certifies the compliance with the indicated regulations, it doesn't guarantee attributes. Pay attention to the security advices of the relevant product information's.